



CLIMATIC AND GEOGRAPHICAL DESIGN CRITERIA
CLARK COUNTY, NEVADA

FOUNDATION/BASEMENT PLATE
SCALE: 1/4" = 1'-0"

$$\equiv 1/4 = 1 - 0$$

1. ALL CONDITIONS ARE EXISTING UNLESS OTHERWISE NOTED.

FOR SI: 1 POUND PER SQUARE FOOT = .0479 kPa, 1 MILE PER HOUR = 0.447 MS
HEATING DEGREE DAYS = 6,750

GROUND SNOW LOAD	WIND DESIGN			SEISMIC DESIGN CATEGORY	SUBJECT TO DAMAGE FROM			WINTER DESIGN TEMP	ICE BARRIER UNDERLAYMENT REQUIRED	FLOOD HAZARDS	AIR FREEZING INDEX	MEAN ANNUAL TEMPERATURE
	WIND SPEED (mph)	TOPOGRAPHIC EFFECTS	SPECIAL WINDBORNE WIND DEBRIS REGION		WEATHERING	FROST LINE DEPTH	TERMITE					
40 PSF	115 MPH	NO	YES	B=17	SEVERE	48"	MODERATE TO HEAVY	6	YES	DEC. 5, 1984	1500	43

FOR AUTHENTIC
SEAL MUST BE
ORIGINAL AND
SIGNATURE MUST
BE IN COLOR
BOTH CANNOT
BE COPIED

DAVID NIEMOTKO ARCHITECTS, P.C.
167 STAGE ROAD
MONROE, NEW YORK
(845) 774-7523 PH. & FAX (845) 401-2891 MOBILE

No.	DATE	REVISION
	4-16-18	OWNER REVIEW
1	4-30-18	OWNER REVIEW
2	5-1-18	BD SUBMISSION
1	5-11-18	BD SUBMISSION
2	6-6-18	FIRST FLOOR CONST., NEW WINDOWS, FOAM INSULATION