





LOCATION MAP: Town of Marlborough Tax Map, Section 103.1
SCALE: 1" = 200'

ZONING REQUIREMENTS

FOR C-1 ZONE		
	REQUIRED	PROVIDED
MINIMUM LOT AREA	5000 SQ.FT. (w/ PUBLIC W&S)	±40,100 SQ.FT.
MINIMUM YARD SETBACKS		
FRONT	5 FT.	7 FT.
SIDE	0 FT.	0 FT.
REAR	20 FT.	87 FT.
MAXIMUM BUILDING HEIGHT	35 FT.	32 FT.
MAXIMUM BUILDING COVERAGE	75%	± 25.6%
PARKING REQUIREMENTS		
COMMERCIAL		
(1 SPACE PER 300 SQ. FT.)		
STREET LEVEL = 10,520 SQ. FT.	35 SPACES	5 SPACES
RESIDENTIAL		
(1.5 SPACE PER DWELLING UNIT)		
SECOND FLOOR = 16 DWELLING UNITS	24 SPACES	39 SPACES
THIRD FLOOR = 16 DWELLING UNITS	24 SPACES	39 SPACES
83 TOTAL *		44 TOTAL
*OFFSITE PARKING PROVIDED ON 12 BREWSTER STREET = 39 SPACES		
		83 TOTAL
HANDICAPPED SPACES (4%) (INCLUDED IN TOTAL)	4 SPACES	4 SPACES
DENSITY		
PROPOSED: 8 RETAIL X 4 APARTMENTS = 32 UNITS (APARTMENTS)		
TOTAL AREA REQUIRED: 40,000 SQ.FT.		

APPROVED BY THE TOWN OF MARLBOROUGH PLANNING BOARD

DATE: _____

CHAIRMAN: _____

MEMBER: _____

OWNERS ENDORSEMENT

I HEREBY GRANT MY APPROVAL TO THIS PLAT AND THE PLANS SHOWN HEREON

OWNER: _____ DATED: _____

OWNER: _____ DATED: _____

OWNER / DEVELOPER

39 Main Street Milton LLC
96 South Elliot Place
Brooklyn, NY 11217

TAX MAP ID# 103.1-2-44
103.1-2-45

LOT AREA
Total Area = 40,130 SF

SHEET INDEX

SHEET	TITLE	
I-1	INDEX	SHEET 1 OF 10
SP-1	SITE PLAN	SHEET 2 OF 10
S-1	SURVEY MAP	SHEET 3 OF 10
GP-1	GRADING AND UTILITIES PLAN	SHEET 4 OF 10
LLS-1	LIGHTING AND LANDSCAPING PLAN	SHEET 5 OF 10
D-1	SITE DETAILS	SHEET 6 OF 10
D-2	SITE DETAILS	SHEET 7 OF 10
D-3	DRAINAGE DETAILS	SHEET 8 OF 10
FT-1	FIRETRUCK MOVEMENT	SHEET 9 OF 10
BP-1	12 BREWSTER PARKING	SHEET 10 OF 10

MAP REVISION DATES

DATE	REVISION	BY
22 SEPT 2021	REVISED AS PER P.B. MEETING OF 20 SEPT 2021	TPFK
25 OCTOBER 2021	ADDED FIRETRUCK MOVEMENT SHEET	CC
13 DEC 2021	REVISED AS PER P.B. MEETING OF 06 DEC 2021	TPFK
19 JAN 2021	REVISED AS PER P.B. MEETING OF 17 JAN 2021	TPFK

INDEX SHEET

PROPOSED MIXED USE BUILDING

8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS
FOR

39 MAIN STREET MILTON LLC

TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK

Scale: 1" = 50'

50 0 50 100 150

August 12, 2021

MEDENBACH & EGGERS

CIVIL ENGINEERING & LAND SURVEYING, P.C.

STONE RIDGE, NEW YORK (845) 687-0047

Barry Medenbach


BARRY MEDENBACH, P.E.

NEW YORK LIC. NO. 60142

Any unauthorized alteration or addition to this plan is a violation of Sect.
7209, Subdivision 2 of N.Y.S. Education Law.

Dig Safely.
New York
Call Before You Dig
Wait The Required Time
Confirm Utility Response
Respect The Marks
Dig With Care
CALL 811
www.digsafelyny.com


103.9-1-32
Arapkirli, Emre



CUSTOM SIGN - A


1 SIGN LEGEND
NOT TO SCALE

SEE DRAWING BP-1 FOR MORE
DETAIL ON ADDITIONAL PARKING
ON 12 BREWSTER STREET



MAP REVISION DATES		
DATE	REVISION	BY
25 OCTOBER 2021	REVISED DRIVEWAY ENTRANCE	CC
13 DEC 2021	REVISED AS PER P.B. MEETING OF 06 DEC 2021	TPFK
19 JAN 2021	REVISED AS PER P.B. MEETING OF 17 JAN 2021	TPFK



PROPOSED SITE PLAN
FOR
PROPOSED MIXED USE BUILDING
8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS
FOR
39 MAIN STREET MILTON LLC
TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK



Scale: 1" = 20'
August 12, 2021
MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 687-0047
Barry Medenbach
BARRY MEDENBACH, P.E.
NEW YORK LIC. NO. 60142

Dig Safely.
New York
Call Before You Dig
Wait The Required Time
Confirm Utility Response
Respect The Marks
Dig With Care
CALL 811
www.digsafelyny.com

Any unauthorized alteration or addition to this plan is a violation
of Sect. 7209, Subdivision 2 of N.Y.S. Education Law.



APPROVED BY THE TOWN OF MARLBOROUGH PLANNING BOARD

DATE _____

CHAIRMAN _____

MEMBER _____


OWNERS ENDORSEMENT

I HEREBY GRANT MY APPROVAL TO THIS PLAT AND THE PLANS SHOWN HEREON

OWNER: _____ DATED: _____

OWNER: _____ DATED: _____

OWNER	OWNER
39 Main Street Milton LLC c/o Robert Pollock 96 South Elliot Place Brooklyn, NY 11217	James D. Kent Jr. P.O. Box 424 Milton, NY 12547
TAX MAP ID# 103.1-2-44 103.1-2-45	TAX MAP ID# 103.1-2-46 103.1-2-86



SURVEY MAP
SHOWING LOT LINE ADJUSTMENT FOR LANDS OF
**KENT &
39 MAIN STREET MILTON LLC**
TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK

Scale: 1" = 20'

August 12, 2021


MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 687-0047

Copyright August 12, 2021 by
Medenbach & Eggers Engineering & Surveying
Stone Ridge, New York
~ All Rights Reserved Under Law ~

S-1
3 OF 10
E16 065

The data and certifications on this document are valid representations of the surveyor only if the surveyor's signature and raised seal are affixed to this document and the document has not been altered in any manner.

Any unauthorized alteration or addition to this survey map is a violation of Sect. 7209, Subdivision 2 of N.Y.S. Education Law.



NOTE:
ROCK REMOVAL IS INTENDED TO BE
REMOVED WITH MECHANICAL MEANS
AND BLASTING WILL NOT OCCUR UNLESS
ABSOLUTELY NECESSARY AND WILL REQUIRE A
PRE-BLASTING PLAN AND PERMITS FROM THE
TOWN CODE ENFORCEMENT OFFICER PRIOR TO.

NOTE:
RELOCATE UTILITY POLES W/
CANTILEVER BRACKETS
AS PER CHG&E

GRADING and UTILITY PLAN
PROPOSED MIXED USE BUILDING
8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS
FOR
39 MAIN STREET MILTON LLC
TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK

Scale: 1" = 10'
August 12, 2021

MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 657-0047

Barry Medenbach
BARRY MEDENBACH, P.E.
NEW YORK LIC. NO. 60142


GP-1
4 OF 10
E16 065

MAP REVISION DATES		
DATE	REVISION	BY
22 SEPT 2021	REVISED AS PER P.B. MEETING OF 20 SEPT 2021	TPEK
25 OCTOBER 2021	REVISED DRIVEWAY ENTRANCE	CC
13 DEC 2021	REVISED AS PER P.B. MEETING OF 06 DEC 2021	TPEK

Dig Safely.
New York
Call Before You Dig
Wait The Required Time
Confirm Utility Response
Respect The Marks
Dig With Care
CALL 811
www.digsafelyny.com

Any unauthorized alteration or addition to this plan is a violation
of Sect. 7209, Subdivision 2 of N.Y.S. Education Law.

Now or Formerly
Mannese, Josen
SBL 102



ABSOLUTELY NECESSARY and WILL REQUIRE A
PRE-BLASTING PLAN and PERMITS FROM THE
TOWN CODE ENFORCEMENT OFFICER PRIOR TO.

MAP REVISION DATES		
DATE	REVISION	BY
25 OCTOBER 2021	REVISED DRIVEWAY ENTRANCE	CC

LIGHTING LEGEND				
FIXTURE	Wattage (TYPE)	DENOTED BY	HEIGHT PLACEMENT	QTY.
A	35W (LED)		20'	3
B	69W (LED)		18'	3
C	10 W (LED)		±10'	17

NOTES:
1. REFERENCE ARCHITECTURAL DRAWINGS FOR ALL LIGHTS ATTACHED TO THE BUILDING.
2. ALL OUTSIDE LIGHTING IS TO BE FULLY SHIELDED DOWNLIGHTING.
3. SEE LIGHTING DETAILS ON DETAIL SHEETS.

LIGHTING & LANDSCAPING PLAN
PROPOSED MIXED USE BUILDING
8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS
FOR
39 MAIN STREET MILTON LLC
TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK

Scale: 1" = 10'

August 12, 2021


MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 687-0047

Barry Medenbach
BARRY MEDENBACH, P.E.
NEW YORK LIC. NO. 60142

LLS-1
5 OF 10
E16 065


Any unauthorized alteration or addition to this plan is a violation
of Sect. 7209, Subdivision 2 of N.Y.S. Education Law.

Dig Safely.
New York
Call Before You Dig
Wait The Required Time
Confirm Utility Response
Respect The Marks
Dig With Care
CALL 811
www.digsafelyny.com




- NOTES:
1. SEE SITE PLAN FOR SPACE LOCATION.
 2. APPLY TWO COATS OF PAINT ON ALL SURFACES.

1 TYPICAL PARKING SPACE DETAIL
NOT TO SCALE




- NOTES:
1. SEE SITE PLAN FOR ACCESSIBLE SPACE LOCATION AND DIMENSIONS.
 2. APPLY TWO COATS OF PAINT ON ALL SURFACES.
 3. ACCESSIBLE SYMBOL PER NEW YORK STATE.

2 ACCESSIBLE PARKING SPACE DETAIL
NOT TO SCALE




PLAN VIEW




ELEVATION VIEW

7 DEPRESSED RAMP/DETECTABLE WARNING DETAIL
NOT TO SCALE




DETECTABLE WARNING FIELD DETAIL



SECTION A-A


Curb Ramp Notes:

1. A curb ramp is defined as the entire concrete surface which includes the ramp & flared sides. The minimum 5' wide center portion, including the detectable surface, shall have a sloped plane of 8.33% (1:12) maximum, and cross slope, not to exceed 2%. The "flared side" of the ramp shall lie on a slope of 10% (1:10) maximum measured along the curb. The curb ramp shall have a surface tolerance of 1/4" per 10 foot straight edge maximum.
2. The ramp center line and path of travel should be parallel to the sidewalk whenever possible. The full width of the ramp shall lie within the crosswalk area. It is desirable that the location of the ramp be as close as possible to the center of the crosswalk.
3. Existing utility boxes and covers shall be adjusted flush with the curb ramp surface and shall not straddle any change in plane or material. Existing utility box frames and covers shall have matching surface finish on the entire frame and cover. New utility boxes shall not be placed within the detectable border.
4. The surface of the curb ramp and detectable surface material shall be stable, firm and slip resistant. Detectable warning fields shall visually contrast with adjoining surfaces either light on dark or dark on light. The concrete curb ramp surface shall be broom finished transverse to the axis of the ramp and shall be slightly rougher than the finish of the adjacent sidewalk surface.
5. A level landing 5'-0" deep, with a 2% maximum slope in each direction shall be provided at the upper end of each curb ramp to allow safe egress from the ramp surfaces. The width of the level landing shall be at least as wide as the width of the ramp.
6. Seal all joints on sidewalk and ramps. Maximum width of expansion joint is 1/2"




VERIFY DRAINAGE REQUIREMENTS WITH HEALTH INSPECTOR


3 DUMPSTER RECEPTACLE SCREEN PLAN
SCALE: NOT TO SCALE




4 DUMPSTER RECEPTACLE SCREEN SECTION
SCALE: NOT TO SCALE




8 CURB TERMINAL: SECTION VIEW
NOT TO SCALE




9 TYPICAL DROP CURB DETAIL
NOT TO SCALE



5 DUMPSTER CONCRETE PAD DETAIL
NOT TO SCALE



6 DUMPSTER RECEPTACLE SCREEN ELEVATION
SCALE: NOT TO SCALE



10 SITE PAVEMENT & CONCRETE CURB DETAIL
NOT TO SCALE

MAP REVISION DATES		
DATE	REVISION	BY

SITE DETAILS
PROPOSED MIXED USE BUILDING
8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS
FOR
39 MAIN STREET MILTON LLC
TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK




August 12, 2021

MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 687-0047

Barry Medenbach
BARRY MEDENBACH, P.E.
NEW YORK LIC. NO. 60142

Any unauthorized alteration or addition to this plan is a violation
of Sect. 7209, Subdivision 2 of N.Y.S. Education Law.


D-1
6 OF 10
E16 065




1 POLE MOUNTED LIGHT DETAIL (FIXTURE A)
35 WATT KAD LED 20C 530 40K R4 MVOLT HS (TYPE 4 OPTICS) OR EQUAL




2 WALL MOUNTED LIGHT DETAIL (FIXTURE B)
MODEL: CSXW LED 30C 700 40K T4M 60 WATTS OR EQUAL
REFERENCE ARCHITECTURAL PLANS FOR FINAL LIGHT FIXTURES




3 WALL MOUNTED LIGHT DETAIL (FIXTURE C)
LITHONIA WEDGE1 ARCHITECTURAL WALL MOUNTED LIGHT
MODEL: 10 WATT LED LITHONIA WEDGE1 WEDGE 1 LED PL 35K 80 CR VF OR EQUAL
REFERENCE ARCHITECTURAL PLANS FOR FINAL LIGHT FIXTURES




7 GEOSYNTHETIC REINFORCED WALL (6')
NOT TO SCALE



4 POLE MOUNTED LIGHT DETAIL
35 WATT KAD LED 20C 530 40K R4 MVOLT HS (TYPE 4 OPTICS) OR EQUAL



5 TYPICAL LIGHT BASE



6 CURB BACK DRAIN DETAIL
TO BE INSTALLED ALONG CUT ROCK FACE
NOT TO SCALE

- CURBING NOTES:**
- 3500 PSI CONCRETE - PROVIDE 1/2\"/>








MAP REVISION DATES		
DATE	REVISION	BY

SITE DETAILS
FOR PROPOSED MIXED USE BUILDING
 8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
 ABOVE EACH RETAIL SPACE FOR A TOTAL
 OF 32 ONE BEDROOM APARTMENTS
 FOR
39 MAIN STREET MILTON LLC
 TOWN OF MARLBOROUGH
 ULSTER COUNTY - NEW YORK

August 12, 2021
MEDENBACH & EGGERS
 CIVIL ENGINEERING & LAND SURVEYING, P.C.
 STONE RIDGE, NEW YORK (845) 687-0047

 BARRY MEDENBACH, P.E.
 NEW YORK LIC. NO. 60142

D-2
 7 OF 10
 E16.065



General Utility Notes and Specifications:

General Provisions:

- All construction activities shall be in compliance with municipal, county state and federal regulations.
- The protection of adjacent properties or areas on site that are not to be disturbed during construction, shall be the responsibility of the contractor.
- Any conditions encountered in the field differing from those shown hereon, shall be reported to the design engineer before construction is to proceed.
- Exploratory excavations shall be performed as needed at all utility connection locations by the contractor to verify existing conditions prior to work. Before connecting to existing utilities, verify existing utility inverts and notify the engineer if any deviation from the plan is required.
- Where underground or overhead obstructions are encountered in the work, the contractor shall assume all costs for direct or indirect injury to them. Any valve box, valve pit, water service, water main, catch basin, manhole etc. whether or not shown on the drawings shall be protected from damage.
- The contractor shall maintain service for all existing utilities until no longer necessary.
- All trenching and shoring shall adhere to OSHA guidelines.

Excavation and Earthwork:

- Prior to site disturbance the contractor shall install required erosion & sediment control measures.
- Strip all topsoil prior to commencing earthwork operations. Topsoil may be stored and reused in lawn and planting areas only.
- Excavation shall be carried to the lines, grades and slopes shown on the approved plans. All final earthwork shall be smoothly and evenly blended into existing conditions.
- Remove all vegetation, trees, stumps, grasses, organic soils, debris and deleterious materials from excavated soils to be reused as fill onsite.
- Where unstable or unsuitable material is encountered at the prescribed bottom grade of the trenches it shall be removed.
- Contractor shall be responsible for dewatering utility trenches and excavations and for the maintenance of surface drainage during the course of the work.
- After final grading the contractor shall reapply stockpiled top soil on all lawn and planting areas. Topsoil shall be evenly spread a minimum of 4 (four) inches over all planting areas seeded and mulched in lawn areas or planted as per landscaping plan in planting beds. The contractor shall restore lawns, driveways and other disturbed areas to at least as good a condition as before being disturbed.

Utility Bedding and Backfill:

- Selected bedding (as specified on the utility typical trench sections hereon) shall be provided for the construction of pipe foundations at those locations where the foundations or excavated material, or any portion thereof deemed to be unsuitable for supporting the pipe or structure, or for back filling the cover portion of the trenches to a level one foot above the pipe, or where excavated material consist of a predominance of large stone, boulders or rock which is not suitable for placing in the trench. Certified sieve analysis shall be submitted from the supplier for the engineer's review prior to use.
- All suitable back fill material shall be placed in layers not exceeding twelve (12) inches in depth, (loose measure), and shall be thoroughly tamped and compacted to a minimum density of 95% standard AASHTO-T99 (ASTM-D698, as amended) compaction test. Compacting equipment shall be of a suitable type for the various back filling operations.

Drainage:

- All storm sewer pipe shall be smooth interior HDPE pipe unless noted otherwise.
- HDPE end sections shall be provided on all drainage pipe inlets or outlets not connected to catch basins or other drainage structures. All outlets shall also be stabilized with rip-rap as per plans.
- All concrete chambers shall be pre cast concrete to the specifications and dimensions shown hereon. Frames and grates shall be gray iron or ductile iron. Gray iron shall conform with ASTM A-48, Class 30B and ductile iron shall conform with ASTM A-536 and be of a grade appropriate to its intended use to the dimensions and specifications as shown hereon. Any structures subject to vehicle loads shall be able to withstand an H20 loading. Shop drawings shall be submitted to the design engineer for approval prior to construction.
- The gutters and ditches shall be kept open at all times for surface drainage. No damming or ponding of water, in gutters or other waterways will be permitted except where the engineer shall consider it necessary.
- The transport of soils to the drainage system shall be avoided during and after construction.
- All exposed soils shall be stabilized with vegetation, stone or as directed by the engineer.
- Methods used to control soil erosion and sediment control shall be in accordance with the approved soil erosion and sediment control plan or as directed by the engineer. Contractor is responsible for conducting daily stormwater inspections.

MAP REVISION DATES

DATE	REVISION	BY

DRAINAGE DETAILS PROPOSED MIXED USE BUILDING

8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS
FOR

39 MAIN STREET MILTON LLC
TOWN OF MARLBOROUGH
ULSTER COUNTY ~ NEW YORK



August 12, 2021

MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 687-0047




Barry Medenbach
BARRY MEDENBACH, P.E.
NEW YORK LIC. NO. 60147

Any unauthorized alteration or addition to this plan is a violation of Sect. 7209, Subdivision 2 of N.Y.S. Education Law.

D-3

8 OF 10

E16 065



Firetruck	feet
Width	: 8.50
Track	: 8.00
Lock to Lock Time	: 6.00
Steering Angle	: 45.00

MAP REVISION DATES		
DATE	REVISION	BY

FIRETRUCK MOVEMENT
FOR
PROPOSED MIXED USE BUILDING
8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS
FOR
39 MAIN STREET MILTON LLC
TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK

Scale: 1" = 20'

October 18, 2021

MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 687-0047

Barry Medenbach
Barry Medenbach, P.E.
NEW YORK LIC. NO. 60142

Dig Safely.
New York



- Call Before You Dig
- Wait The Required Time
- Confirm Utility Response
- Respect The Marks
- Dig With Care

CALL 811
www.digsafelyny.com

Any unauthorized alteration or addition to this plan is a violation
of Sect. 7209, Subdivision 2 of N.Y.S. Education Law.

STATE OF NEW YORK
SEAL OF THE STATE ENGINEER
Barry Medenbach
Professional Engineer
No. 66012

FT-1
9 OF 10
E16 065



CUSTOM SIGN - A
(LEFT and RIGHT HAND SIGNS)
ON COLLAPSIBLE POST

1 SIGN 'A'
NOT TO SCALE



CUSTOM SIGN - B
(RIGHT HAND SIGN)
ON COLLAPSIBLE POST

2 SIGN 'B'
NOT TO SCALE

OWNER/DEVELOPER
ROBERT POLLOCK
238 NORTH ROAD
MILTON, NY 12547
718-834-6775

TAX MAP
103.9-2-29

LOT AREA
±0.73 ACRES


12 BREWSTER STREET
OFFSITE PARKING
FOR
PROPOSED MIXED USE BUILDING
FOR
39 MAIN STREET MILTON LLC
8 RETAIL SPACES (10,520 SF) WITH 4 APARTMENTS
ABOVE EACH RETAIL SPACE FOR A TOTAL
OF 32 ONE BEDROOM APARTMENTS

TOWN OF MARLBOROUGH
ULSTER COUNTY - NEW YORK

Scale: 1" = 20'

20 JANUARY 2022

MEDENBACH & EGGERS
CIVIL ENGINEERING & LAND SURVEYING, P.C.
STONE RIDGE, NEW YORK (845) 687-0047



Barry Medenbach, P.E.
NEW YORK LIC. NO. 60142

BP-1
10 OF 10
E16 063

MAP REVISION DATES		
DATE	REVISION	BY

Dig Safely.
New York

Call Before You Dig
Wait The Required Time
Confirm Utility Response
Respect The Marks
Dig With Care

800-962-7962
www.digsafelynewyork.com