



### NOTES:

1. NO EXISTING WELLS WITHIN 200' DOWNTHELL OF PROPOSED SANITARY FACILITIES AND NO EXISTING SEPTICS WITHIN 200' UPHILL OF PROPOSED WELLS.
2. LOT 2 SHALLOW LEACH FIELD SEPARATION FROM DWELLING & LOT 3 RESERVE SHALLOW LEACH FIELD SEPARATION FROM SEASONAL STREAM MEASURED FROM TRENCH SIDEWALLS PER 9.12.2 OF THE 2012 RESIDENTIAL DWTS DESIGN HANDBOOK.

REVISION 3: 7/31/2024 PER UCDOH COMMENTS  
REVISION 2: 10/31/2023 PER NYSDOT COMMENTS  
REVISION 1: 10/8/2023 PER PB COMMENTS

CM TERRIZZI ENGINEERING PLC

# U.M. TERRIZZI ENGINEERING, LTD.

11 TERRIZZI DR.  
VALKILL, NY 12520

ENGINEER

CM TERRIZZI ENGINEERING PLIC

11 TERRIZZI DR.  
WALLKILL, N.Y. 12589  
(845) 229-2222

## PROPOSED GRADING & SEPTICS

*SUBDIVISION FOR:  
MITCHELL MFG CO INC*

*SUBDIVISION FOR:  
MITCHELL M&CO. INC.  
S.B.L.: 103.3-4-44 / 1559 RT 9W / 11.7 ACRES  
TOWN OF MARION, WILSON COUNTY, NY*

DATE

SCALE  
1" = 50'

SHEET NUMBER  
3 OF 6