

Recommended for Approval

W. J. Moreau
W. J. Moreau

4/25/25
Sealed and approved
for the Ulster County Health Department


[Signature]
Public Health Director

3. REVISED 04/15/2025; AS PER UCHD COMMENTS
2. REVISED 04/03/2025; AS PER UCHD COMMENTS
1. REVISED 03/24/2025; AS PER UCHD COMMENTS

SURVEYOR WILLIAM E. JAMES, L.S.	ENGINEER WILLIAM J. MOREAU, P.E.	LANDS OF BARGER PROPERTIES, LLC 2 LOT SUBDIVISION SURVEY PLAT SBL: 108.4-1-12 TOWN OF MARLBORO, ULSTER CNTY.	
		DATE 12/16/2024	SHEET NUMBER 1 OF 3
		SCALE 1" = 30'	JOB NUMBER 24-039-BPR

3
3
2

WS.




GROUND LINE

4" PIPE

JOINT DETAIL

NOTES:

1. OUTLETS ARE TO BE SET AT THE SAME ELEVATION AND FLOW EQUALIZERS ARE REQUIRED
2. OUTLETS MUST BE USED IN A MANNER THAT WILL ALLOW ACCESS TO THE EXPANSION AREA WITHOUT DISTURBING EXISTING PIPING




12-HOLE DISTRIBUTION BOX

N.T.S.

SPECIFICATIONS

CONCRETE MINIMUM STRENGTH- 4,000 PSI AT 28 DAYS
REINFORCEMENT- FIBER
AIR ENTRAPMENT- 5%
PIPE CONNECTION- POLYLOK SEAL (PATENTED)
LOAD RATING- 300PSF WEIGHT= 75 LBS.

TRENCH UNDER ASPHALT
ASPHALT CONC. BINDER



TYPICAL